



## CS130 Powder Pump

### Product highlights


- Design without retention for optimal color changes
- Robust design thanks to the clamping, no deformation
- Easy to use, quick maintenance and no special tools required
- Access to the ejector without removing the tip of the powder hose
- Quick air coupling connectors with color-coding
- Metal body and injector allowing solvent rinsing
- The conductive output tip improves the evacuation of the tribo-electric charges that may be generated
- Quick clamping system with a uniform distribution regardless of the number of powder pumps



**BOND • PROTECT • BEAUTIFY**

## CS130 Powder Pump

Feeding system for powder paint



### Adapted industrial markets



ACE\*



Industrial



Transportation



### Technical data table

#### Marking

| Product           | Type                                                                                          |
|-------------------|-----------------------------------------------------------------------------------------------|
| CS130 Powder Pump | CE 0080  |

\*: "AgricultureConstruction and Earthmoving"



## Technologies



Spraying



Venturi



## Description

### Performances

- Efficient powder flow: Retention-free design ensures smooth and consistent powder delivery, optimizing application quality.
- Durable metal construction: A robust body with uniform clamping prevents deformation, allowing for reliable performance in demanding environments.
- Triboelectric charge reduction: The conductive output tip ensures safe and efficient elimination of static charges for improved coating results.
- Accessible maintenance: Easy access to the ejector without needing to remove the powder hose tip.

### Productivity

- Fast color changes: Designed for quick transitions with no powder retention, reducing downtime.
- User-friendly setup: Quick air coupling connectors with color-coding and dissimilar connections simplify installation and operation.
- Quick maintenance: Requires no special tools, allowing for fast and hassle-free upkeep.
- Flexible clamping system: Ensures uniform distribution regardless of the number of pumps in operation, enhancing system scalability.

### Sustainability

- Solvent-compatible body: Metal body and injector allow for solvent rinsing, extending the product's lifespan and reducing waste.
- Energy efficiency: Streamlined design minimizes powder waste, ensuring efficient use of resources.
- Durable design: Built with high-quality materials to withstand long-term usage, reducing the need for frequent replacements.

Equipment

| Designation                                      | Part number |
|--------------------------------------------------|-------------|
| CS 130 powder pump alone - AIR (fume extraction) | 910014333   |
| CS 130 powder pump alone - POWDER                | 910013775   |

 Additional information

- User manual
- Spare parts
- Accessories
- Documents
- Videos

